

Mark Scheme (Results)

Summer 2023

Pearson Edexcel International GCSE In Mathematics A (4MA1) Paper 1F

hrips://britishstudentroom.com/

Edexcel and BTEC Qualifications

hrips://britishstudentroom.com/ Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at www.edexcel.com or www.btec.co.uk. Alternatively, you can get in touch with us using the details on our contact us page at www.edexcel.com/contactus.

Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

Summer 2023 Question Paper Log Number P72788A Publications Code 4MA1_1F_2306_MS All the material in this publication is copyright © Pearson Education Ltd 2023

General Marking Guidance

 All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last. hrips://britishstudentroom.com/

- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

Types of mark

- M marks: method marks
- o A marks: accuracy marks
- B marks: unconditional accuracy marks (independent of M marks)

Abbreviations

- o cao correct answer only
- ft follow through
- o isw ignore subsequent working
- SC special case
- o oe or equivalent (and appropriate)
- o dep dependent

hrios: faririshstudentroom.com

- o indep independent
- o awrt answer which rounds to
- o eeoo each error or omission

No working

If no working is shown, then correct answers normally score full marks.

If no working is shown, then incorrect (even though nearly correct) answers score no marks.

With working

If there is a wrong answer indicated on the answer line always check the working in the body of the script (and on any diagrams) and award any marks appropriate from the mark scheme.

If it is clear from the working that the "correct" answer has been obtained from incorrect working, award 0 marks.

If a candidate misreads a number from the question. E.g. Uses 252 instead of 255; method marks may be awarded provided the question has not been simplified. Examiners should send any instance of a suspected misread to review. If there is a choice of methods shown, mark the method that leads to the answer on the answer line; where no answer is given on the answer line, award the lowest mark from the methods shown.

If there is no answer on the answer line, then check the working for an obvious answer.

Parts of question

Unless allowed by the mark scheme, the marks allocated to one part of the question CANNOT be awarded to another, **International GCSE Maths**

Apart from questions 23 and 24 the correct answer, unless clearly obtained by an incorrect method, should be taken to imply a correct method

Q	Working	Answer	Mark	Notes
1 (a)		12 of the 15 squares shaded	1	B1 cao
(b)		$\frac{3}{4}$	1	B1 cao
(c)		0.03	1	B1 cao
(d)		14	1	B1 cao
				Total 4 marks

2 (a)	Mandarin Chinese	1	B1	allow 918 000 000, Mandarin, Chinese
(b)	115	1	B1	cao
(c)	300	1	B1	cao
(d)	Eight hundred and sixty one thousand, seven hundred	1	B1	
				Total 4 marks

						h _{ths://brit}	Shstidentroom.com/
3	(a)			2	M1	for at least 2 correct tallies or frequencies	7. COM
		Correct answer scores full marks (unless from obvious incorrect working)	Frequencies of 5, 2, 4, 3, 6		A1		"
						If no other marks awarded, award SCB1 for	
						answers of $7 \times \left(\frac{14.5 - 9y}{2}\right) + 3y = 8$	
	(b)		Correct bar chart	3	В3	B1 for labelling the bars (can be	1
			(ft (a))			abbreviations)	
						B2ft for 5 column heights correct	
						(B1ft for 3 or 4 column heights correct)	
						Total 5 marks]

4 (a)	16 15	1	B1 oe eg 16:15, 16.15
(b)	5 (hours) 25 (minutes)	2	B2 (B1 for 5 (hours) or 25 (minutes) or 325 (minutes) or a time equivalent to 5 (hours) 25 (minutes))
			Total 3 marks

						hrips://britis	SISTURE PROOPER COM
5	(a)		4 <i>p</i>	1	B1		n, con
1	(b)		12e + 4f	2	B2	B1 for 12 <i>e</i> or 4 <i>f</i>	2
1	(c)		6	1	B1	cao	
	(d)	$4y = 43 - 7$ oe or $\frac{4y}{4} + \frac{7}{4} = \frac{43}{4}$ oe or $(43 - 7) \div 4$		2	M1	for a correct first step to solve the equation or a complete calculation for finding the value of <i>y</i>	
		Correct answer scores full marks (unless from obvious incorrect working)	9		A1		
						Total 6 marks	

6 (a)	0.01×750 oe		2	M1	for a complete method	
	Correct answer scores full marks (unless from obvious incorrect working)	7.5		A1	oe eg $\frac{15}{2}$, $7\frac{1}{2}$	
(b)	eg $(2000 \div 400) \times 125$ or $2000 \div (400 \div 125)$		2	M1	for a complete method	
	Correct answer scores full marks (unless from obvious incorrect working)	625		A1	cao	
						Total 4 marks

		,		M1 for 10 – 3 (= 7) (could be on diagram)
7	10-3 = 7 (could be on diagram) or $10+3+10+3 = 26$) oe or $(10+3+10+3)\times 3 = 78$) oe or $6\times 10+4\times 3 = 72$) oe or $4\times 10+4\times 3 = 52$) oe		3	M1 for 10 – 3 (= 7) (could be on diagram) or for finding the perimeter of one rectangle or for finding the perimeter of 3 rectangles or for finding the perimeter including the internal sides or for finding the perimeter excluding the two lengths of 7
	eg 3 + 10 + 3 + 10 + 3 + 10 + 3 + "7" + 10 + "7" oe or 4 × 10 + 4 × 3 + 2 × "7" oe or "78" – (4 × 3) oe or "72" – (2 × 3) oe or "52" + (2 × "7") oe			M1 for a fully correct method to find the perimeter of the shape, with at most one error (which could be one length omitted or an extra length added)
	Correct answer scores full marks (unless from obvious incorrect working)	66		A1 Total 3 marks

8	use of 1 m = 100 cm eg 7 m = 700 cm or 185 cm = 1.85 m or 370 cm = 3.7 m		3	B1	for any correct conversion between metres and centimetres
	"700" – 2 × 185 (= 330)			M1	use of their converted value for this method
	or $7 - 2 \times 1.85$ " (= 3.3) oe			IVII	mark ie "700" is their converted 7 m and "1.85" is their converted 185 cm
	Correct answer scores full marks (unless from obvious incorrect working)	110		A1	allow 1.1 m or 1.1 metres
					Total 3 marks

					hrtps://british	Situdeniros
9 (a)		146	1	B1		Th. COM
(b)	$64 - 9 = 55$ or $(64 - 9) \div 11$ or $11x + 9 = 64$		2	M1	for working backwards from the output of 64 or setting up an equation	2
	Correct answer scores full marks (unless from obvious incorrect working)	5		A1		
			1		Total 3 marks]

10 (a)		13 30	1	B1 oe eg 0.43(333) or 43.(33)%
(b)		$\frac{6}{30}$	1	B1 oe eg $\frac{1}{5}$ or $\frac{3}{15}$ or 0.2 or 20%
(c)	eg $\frac{2}{5} = \frac{16}{40}$ or $\frac{2}{5} \times (10 + 30) (= 16)$ oe		2	M1 for a method to work out the number of white counters now in the bag
	Correct answer scores full marks (unless from obvious incorrect working)	5		A1
				Total 4 marks

11	$94.8(0) - 3 \times 12 $ (= $58.8(0)$) oe		4	M1	for a method to find the total cost of the children's tickets
	eg 0.3×12 (= 3.6(0)) oe or $(1 - 0.3) \times 12$ (= 8.4(0)) oe			M1	(indep) for finding 30% or 70% of 12
	"58.8(0)" ÷ (12 – "3.6(0)") oe or "58.8(0)" ÷ "8.4(0)" oe			M1	for a complete method to find the number of children's tickets
	Correct answer scores full marks (unless from obvious incorrect working)	7		A1	
					Total 4 marks

						hrips://britis	shstudentioon, com/
12	(a)		13	1	B1	cao	n.con
	(b)		2.5	1	B1	oe	2
	(c)	8 × 5 (= 40) oe		3	M1	for a method to find the total number of goals scored	
		$8 \times 5 - (1 + 1 + 2 + 2 + 3 + 6 + 14)$			M1	for a complete method to work out the value of <i>x</i>	
		Correct answer scores full marks (unless from obvious incorrect working)	11		A1		
						Total 5 marks	

	(b)	$231 \div (7 \times 6)$ or $7 \times 6 \times w = 231$ oe Correct answer scores full marks (unless from	5,5	2	M1	for a complete method to find the value of w or for setting up an equation for the volume of the cuboid oe $\frac{11}{2}$, $5\frac{1}{2}$
	(b)	obvious incorrect working)		2		*
		$("28" - 5 - 5) \div 2 \times 5$ oe eg "9" $\times 5$ Correct answer scores full marks (unless from	45	-	M1 A1	for a complete method to find the area of the rectangle
13	(a)	$8 + 8 + 12 (= 28)$ oe or $\frac{8+8+12-2\times5}{2} (= 9)$ oe		3	M1	for a method to find the perimeter of the triangle or for a method to find the length of the rectangle (check the diagram)

					M1
14	(a)	0.725(806) or 1.53(9419) or 14.8(4) or 2.26 or 2.27 or 2.265		2	M1
		Correct answer scores full marks (unless from obvious incorrect working)	2.2652(25539)		A1
	(b)		2.27	1	B1 ft from (a) dep on a number that has 4 or more significant figures
					Total 3 marks

15	8 A 7 9 5 10 11 13 15 20 17 19 6 8 12 14 16 18	Numbers placed correctly in Venn diagram	3	B3 B2 B1	for a completely correct Venn diagram for 2 or 3 correct regions for 1 correct region
					Total 3 marks

						hitos: 16riis	NSTUDENTOON.
16	$12 \div (5-2) \ (= 4) \ \text{or} \ \ 2:5 = 8:20 \ \text{or} \ \ A = 8$ $\text{or} \ S = 20 \ \text{or} \ = 20 \ \text{eg} \ \frac{5}{15} x - \frac{2}{15} x = 12 \ \text{or} \ \ x = 60$		3	M1	for method to find the value of one share or working with the ratio for Arjun or Simon or setting up an equation or for finding the total number of goals (= 60)	$\frac{8}{5-2} \times 12 \text{ oe}$	A COM
	eg 8 × "4" or 8× $\frac{8}{2}$ or 8 + 12 + 12 or 8× $\frac{20}{5}$ or 20 + 12 or "60"× $\frac{8}{15}$			M1	for a complete method		
	Correct answer scores full marks (unless from obvious incorrect working)	32		A1	SCB1 for $\frac{8}{15} \times 12 (= 6.4)$		
						Total 3 marks	j

17	$15 \times 5 + 45 \times 6 + 75 \times 8 + 105 \times 9 + 135 \times 2$		3	M2	for correct products using midpoints (allow
	or				one error or omission) with attempt to add
	75 + 270 + 600 + 945 + 270				(M1 for products using a consistent value
					within range and attempt to add or for at least
	[lower bound products are: 0, 180, 480, 810, 240]				4 correct products without addition)
	[upper bound products are: 150, 360, 720, 1080, 300]				
	Correct answer scores full marks (unless from	2160		A 1	(an answer of 72 loses the final A mark but
	obvious incorrect working)				gains M2)
					Total 3 marks

			_		hrtos://british	Studentroom, C.
18	$0.7 \times 60 \times 22 = 924$) oe or $(1 - 0.7) \times 60 \times 19 = 342$) oe OR $0.7 \times 60 \times \left(22 - \frac{780}{60}\right) = 378$) oe or $(1 - 0.7) \times 60 \times \left(19 - \frac{780}{60}\right) = 108$)		4	M1	for finding income for the 22 dirhams notebooks or the 19 dirhams notebooks OR for finding the profit for the 22 dirhams notebooks or the 19 dirhams notebooks	On
	$0.7 \times 60 \times 22 = 924$) oe and $(1 - 0.7) \times 60 \times 19 = 342$) oe OR $0.7 \times 60 \times \left(22 - \frac{780}{60}\right) = 378$) oe and $(1 - 0.7) \times 60 \times \left(19 - \frac{780}{60}\right) = 108$)			M1	for finding income for the 22 dirhams notebooks and the 19 dirhams notebooks OR for finding the profit for the 22 dirhams notebooks and the 19 dirhams notebooks, 1266 or 486 implies M2	
	eg $\frac{"924"+"342"-780}{780} \times 100$ or $\frac{"924"+"342"}{780} \times 100 - 100$ or $\frac{"378"+"108"}{780} \times 100$ or $\frac{486}{780} \times 100$			M1	for a complete method to find percentage profit	
	Correct answer scores full marks (unless from obvious incorrect working)	62.3		A1	awrt 62.3, allow 62 from correct working	
					Total 4 marks	_

					hrtips://british	Studentroom.com/
19 (a)	$\left[\frac{67}{-} \left[-\left(13 \right) \right] \right]$		3	M1	with or without brackets,	n.com/
	$\operatorname{eg} \begin{pmatrix} 67 \\ 12 - 2 \end{pmatrix} \left[= \begin{pmatrix} 13 \\ 10 \end{pmatrix} \right]$			1	allow 13 right and 10 up or (13, 10)	
	$\mathbf{or} \begin{pmatrix} -7-6 \\ 2-12 \end{pmatrix} = \begin{pmatrix} -13 \\ -10 \end{pmatrix}$				or 13 left and 10 down or (-13, -10)	
	(2-12)[(-10)]				or for one of $-5 + 10 = 5$ or $-3 + 10 = 7$ or $9 - 13 = -4$	
				M1	for two of $-5 + 10 (= 5)$ or $-3 + 10 (= 7)$ or $9 - 13 (= -4)$	
	Correct answer scores full	d = 5, e = 7,		A1		,
	marks (unless from obvious incorrect working)	f = -4				
(b)		Enlargement	3	B1	with no mention of any other transformation or words such as move, flip, shift	
		Scale factor 3		B1	with no mention of a vector, angle of rotation or line of symmetry	
		Centre (0, 2)		B1		
(c)	I	Correct shape	2	B2	B1 for a correct shape with the correct orientation in the	
	1	with coordinates		1	incorrect position or for 3 out of 4 vertices correct or for a	
		(0, 5), (1, 6), (3, 6), (1, 5)		1	correct rotation of 90° anticlockwise about (3, 5)	
				1	Total 8 marks	

						M1 for reaching one step from the	
20	$7.2^2 + 5.4^2 (= 81)$		4	M1	for correct first step using Pythagoras	M1 for reaching one step from the length of AB if using trig eg $(EAB =) \tan^{-1} \left(\frac{5.4}{7.2}\right) (= 36.8)$ and $\sin("36.8") = \frac{5.4}{AB}$	<i>></i>
	$\sqrt{7.2^2 + 5.4^2}$ (= 9) 7.2 + 5.4 + 6 + "9" + 6 oe			M1	for complete Pythagoras method to find length of <i>AB/DC</i> check the diagram for sight of 9, <i>DC</i> marked as 9 implies M2 for a complete method to find the per	M1 for complete method to find the length of AB/DC eg $\frac{5.4}{\sin("36.8")}$ (= 9) rimeter	
	Correct answer scores full marks (unless from obvious incorrect working)	33.6		A1	oe	Total 4 marks	

						hrtos://hritish	institutent conv.com/
21	(a)		$8c^{12}d^{21}$	2	B2	(B1 for 2 correct terms as part of a product)	N.COM
	(b)		5	1	B1		
	(c)		$4a^2b(4b^2+5a)$	2	B2	B1 for any correct partial factorisation with at least 2 factors, or the correct common factor with no more than 1 error inside the bracket	
	(d)(i)	$(x\pm11)(x\pm2)$		2	M1	for $(x \pm 11)(x \pm 2)$ or for $(x + a)(x + b)$ with $ab = -22$ or $a + b = 9$	
		Correct answer scores full marks (unless from obvious incorrect working)	(x+11)(x-2)		A1	for correct factors	
	(ii)		-11, 2	1	B1ft	ft dep on factorising in the form $(x+p)(x+q)$	
			<u> </u>	'		Total 8 marks	

22		$x \le 1$	4	B1 accept $x < 1$
		$y \ge -2$		B1 accept $y > -2$
	y = 2x + c or y = mx + 4			M1 allow = or $<$ or \le or $>$ or \ge
	Correct answer scores full marks (unless from obvious incorrect working)	$y \le 2x + 4$		A1 oe, allow $y < 2x + 4$ oe
				SCB2 for the correct inequalities with all inequality signs the wrong way round
				Total 4 marks

	2 2 75			M1 for 2 correct stages in prime factorisation with 0 incorrect stages
23 (a)	eg $2 \times 2 \times 75$ or $3 \times 5 \times 20$ or $2 \times 3 \times 50$ or $5^2 \times 12$ or		2	M1 for 2 correct stages in prime factorisation with 0 incorrect stages or at least 3 stages in prime factorisation with no more than 1 incorrect stage. Each stage gives 2 factors – may be in a factor tree or a table or listed eg 2, 2, 75 (see LHS for examples of the amount of work needed for the award of this mark). Example of 3 stages with 1 incorrect stage: $300 = 100 \times 30 = 2 \times 50 \times 5 \times 6$
(b)	Working required $(5A =) 2 \times 2 \times 2 \times 3 \times 3 \times 5 \times 5 \text{ oe } (= 1800)$ or $(5A =) 2^3 \times 3^2 \times 5^2 (= 1800)$ or $(7B =) 2 \times 2 \times 3 \times 3 \times 3 \times 5 \times 7 \text{ oe } (= 3780)$ or $(7B =) 2^2 \times 3^3 \times 5 \times 7 (= 3780)$	$2 \times 2 \times 3 \times 5 \times 5$	2	A1 dep on M1, oe eg 2 ² × 3 × 5 ² M1 for method to find 5 <i>A</i> or 7 <i>B</i> as prime factors (may be seen in factor tree, table or Venn diagram) or as an integer or for listing at least 3 multiples of each number eg 1800, 3600, 5400 and 3780, 7560, 11340 or for an answer of 1080 oe eg 2 ³ × 3 ³ × 5
	Working required	37800		A1 dep on M1, oe eg $2^3 \times 3^3 \times 5^2 \times 7$
				Total 4 marks

					hritos://briti	Sh _{Stitdentroom.com}
24	eg $21x + 9y = 24$ _ $2x + 9y = 14.5$ or $14x + 63y = 101.5$ _ $14x + 6y = 16$ or eg $7 \times \left(\frac{14.5 - 9y}{2}\right) + 3y = 8$		3	M1	for a correct method to eliminate <i>x</i> or <i>y</i> : multiplication of one or both equation(s) with correct operation selected (allow one arithmetic error) (if + or - is not shown then assume it is the operation that at least 2 of the 3 terms have been calculated for) or correct rearrangement of one equation with substitution into second (dep on previous M1 but not on a correct first value) correct method to find second unknown - this could be a correct substitution into one of the equations given or calculated or starting again with the same style of working as for the first method mark	*McOny
	Working required	x = 0.5 and $y = 1.5$		A1	oe, dep on M1	
					Total 3 marks	

