

Please check the examination details below before entering your candidate information

Candidate surname

Other names

Centre Number

Candidate Number

Pearson Edexcel International Advanced Level

Thursday 19 October 2023

Afternoon (Time: 1 hour 30 minutes)

Paper
reference

WST02/01

Mathematics

**International Advanced Subsidiary/Advanced Level
Statistics S2**

You must have:

Mathematical Formulae and Statistical Tables (Yellow), calculator

Total Marks

Candidates may use any calculator permitted by Pearson regulations. Calculators must not have the facility for symbolic algebra manipulation, differentiation and integration, or have retrievable mathematical formulae stored in them.

Instructions

- Use **black** ink or ball-point pen.
- If pencil is used for diagrams/sketches/graphs it must be dark (HB or B).
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions and ensure that your answers to parts of questions are clearly labelled.
- Answer the questions in the spaces provided
– *there may be more space than you need.*
- You should show sufficient working to make your methods clear. Answers without working may not gain full credit.
- Values from the statistical tables should be quoted in full. If a calculator is used instead of the tables, the value should be given to an equivalent degree of accuracy.
- Inexact answers should be given to three significant figures unless otherwise stated.

Information

- A booklet 'Mathematical Formulae and Statistical Tables' is provided.
- There are 7 questions in this question paper. The total mark for this paper is 75.
- The marks for **each** question are shown in brackets
– *use this as a guide as to how much time to spend on each question.*

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.
- If you change your mind about an answer, cross it out and put your new answer and any working underneath.

Turn over ►

P74327A

©2023 Pearson Education Ltd.
Z:1/1/1/



Pearson

1. Sam is a telephone sales representative.

For each call to a customer

- Sam either makes a sale or does not make a sale
- sales are made independently

Past records show that, for each call to a customer, the probability that Sam makes a sale is 0.2

(a) Find the probability that Sam makes

- (i) exactly 2 sales in 14 calls,
- (ii) more than 3 sales in 25 calls.

(4)

Sam makes n calls each day.

(b) Find the minimum value of n

- (i) so that the expected number of sales each day is at least 6
- (ii) so that the probability of at least 1 sale in a randomly selected day exceeds 0.95

(2)

(4)



Question 2 continued

A large area containing horizontal lines for writing, spanning most of the page.

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



DO NOT WRITE IN THIS AREA

Question 2 continued

(Total for Question 2 is 8 marks)



P 7 4 3 2 7 A 0 7 2 4

3. Every morning Navtej travels from home to work. Navtej leaves home at a random time between 08:00 and 08:15

- It always takes Navtej 3 minutes to walk to the bus stop
- Buses run every 15 minutes and Navtej catches the first bus that arrives
- Once Navtej has caught the bus it always takes a further 29 minutes for Navtej to reach work

The total time, T minutes, for Navtej's journey from home to work is modelled by a continuous uniform distribution over the interval $[\alpha, \beta]$

(a) (i) Show that $\alpha = 32$

(ii) Show that $\beta = 47$

(2)

(b) State fully the probability density function for this distribution.

(2)

(c) Find the value of

(i) $E(T)$

(ii) $\text{Var}(T)$

(3)

(d) Find the probability that the time for Navtej's journey is within 5 minutes of 35 minutes.

(2)



4. A manufacturer makes t-shirts in 3 sizes, small, medium and large.

20% of the t-shirts made by the manufacturer are small and sell for £10

30% of the t-shirts made by the manufacturer are medium and sell for £12

The rest of the t-shirts made by the manufacturer are large and sell for £15

- (a) Find the mean value of the t-shirts made by the manufacturer.

(2)

A random sample of 3 t-shirts made by the manufacturer is taken.

- (b) List all the possible combinations of the individual selling prices of these 3 t-shirts.

(2)

- (c) Find the sampling distribution of the **median** selling price of these 3 t-shirts.

(6)



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Question 4 continued

Lined writing area consisting of 25 horizontal lines.



Question 4 continued

Lined area for writing the answer to Question 4.

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



5. A supermarket receives complaints at a mean rate of 6 per week.
- (a) State one assumption necessary, in order for a Poisson distribution to be used to model the number of complaints received by the supermarket. (1)
 - (b) Find the probability that, in a given week, there are
 - (i) fewer than 3 complaints received by the supermarket,
 - (ii) at least 6 complaints received by the supermarket.(3)

In a randomly selected week, the supermarket received 12 complaints.

- (c) Test, at the 5% level of significance, whether or not there is evidence that the mean number of complaints is greater than 6 per week.
State your hypotheses clearly. (5)

Following changes made by the supermarket, it received 26 complaints over a 6-week period.

- (d) Use a suitable approximation to test whether or not there is evidence that, following the changes, the mean number of complaints received is less than 6 per week.
You should state your hypotheses clearly and use a 5% significance level. (7)



Question 5 continued

Lined area for writing the answer to Question 5.

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



6. The continuous random variable Y has cumulative distribution function given by

$$F(y) = \begin{cases} 0 & y < 0 \\ \frac{1}{21}y^2 & 0 \leq y \leq k \\ \frac{2}{15}\left(6y - \frac{y^2}{2}\right) - \frac{7}{5} & k < y \leq 6 \\ 1 & y > 6 \end{cases}$$

(a) Find $P\left(Y < \frac{1}{4}k \mid Y < k\right)$ (2)

(b) Find the value of k (4)

(c) Use algebraic calculus to find $E(Y)$ (6)



Question 6 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Lined writing area for the answer to Question 6.



7. The discrete random variable X is given by

$$X \sim B(n, p)$$

The value of n and the value of p are such that X can be approximated by a normal random variable Y where

$$Y \sim N(\mu, \sigma^2)$$

Given that when using a normal approximation

$$P(X < 86) = 0.2266 \quad \text{and} \quad P(X > 97) = 0.1056$$

- (a) show that $\sigma = 6$ (7)
- (b) Hence find the value of n and the value of p (3)



